





# Obesity Trends\* Among U.S. Adults

## BRFSS, 1990

(\*BMI  $\geq 30$ , or  $\sim 30$  lbs overweight for 5' 4" woman)





Source: Behavioral Risk Factor Surveillance System, CDC

# Obesity Trends\* Among U.S. Adults

## BRFSS, 1995

(\*BMI  $\geq 30$ , or  $\sim 30$  lbs overweight for 5' 4" woman)





Source: Behavioral Risk Factor Surveillance System, CDC

# Obesity Trends\* Among U.S. Adults

## BRFSS, 2000

(\*BMI  $\geq 30$ , or  $\sim 30$  lbs overweight for 5' 4" woman)





Source: Behavioral Risk Factor Surveillance System, CDC

# Obesity Trends\* Among U.S. Adults


## BRFSS, 2002

(\*BMI  $\geq 30$ , or  $\sim 30$  lbs overweight for 5' 4" woman)



Source: Behavioral Risk Factor Surveillance System, CDC

# Percentage of Overweight Children and Teens



Source: Ogden CL, et al. Prevalence and trends in overweight among US children and adolescents, 1999-2000. JAMA 288:1728-32.2002.


# A HIGHER CALLING

If not us, then who?

If not now, then when?

Obesity Trends\* Among U.S. Adults  
BRFSS, 2001

(\*BMI  $\geq 30$ , or  $\sim 30$  lbs overweight for 5'4" woman)



Source: Mokdad A H, et al. *J Am Med Assoc* 1999;282:16, 2001;286:10.